

AMENDMENTS TO THE CLAIMS

Claim 1. (currently amended) A bus arbitration method for a processor based system, the system comprising a hub device for a link bus comprising a plurality of link bus segments, said hub device coupled to a processor by a processor bus and coupled to a memory device by a memory bus, said hub device being connected to a first device by one of said [[a]] link bus[[,]] segments, said method comprising the steps of:

issuing, from one of the first device and the hub device, an arbitration request on the link bus;

determining, at the first device and the hub device, whether control of the link bus can be transferred from a bus master to the device issuing the arbitration request; and

if it is determined that control of the link bus can be transferred, transferring control of the link bus from the bus master to the device issuing the arbitration request, wherein control of the link bus is granted by the first device and the hub device.

Claim 2. (original) The method of claim 1, wherein said determining step comprises:

inspecting internal arbitration state and status information; and

determining if control of the link bus can be transferred based on the inspected internal arbitration state and status information.

Claim 3. (previously presented) The method of claim 2, wherein the internal arbitration state information comprises a current arbitration state selected from one of a park state indicating that there are no requests on the link bus, grant-self state

indicating that a device in control of the link bus is transferring information on the link bus, and a grant-other state indicating that another device is in control of the link bus.

Claim 4. (previously presented) The method of claim 2, wherein the internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 5. (previously presented) The method of claim 1, wherein said transferring step comprises:

modifying internal arbitration state and status information to reflect that the issuing device is a master of the link bus and that the other device connected to the link bus is a slave of the link bus.

Claim 6. (previously presented) The method of claim 5, wherein the internal arbitration state information comprises a current arbitration state selected from one of a park state indicating that there are no requests on the link bus, grant-self state indicating that a device in control of the link bus is transferring information on the link bus, and a grant-other state indicating that another device is in control of the link bus.

Claim 7. (original) The method of claim 6, wherein said modifying step comprises: at the first device, changing the internal arbitration state to the grant-self state; and

at the hub device, changing the internal arbitration state to the grant-other state.

Claim 8. (original) The method of claim 6, wherein said modifying step comprises:

at the hub device, changing the internal arbitration state to the grant-self state; and

at the first device, changing the internal arbitration state to the grant-other state.

Claim 9. (original) The method of claim 6, wherein said modifying step comprises:

at the first device, changing the internal arbitration state from the park state to the grant-self state; and

at the hub device, changing the internal arbitration state from the park state to the grant-other state.

Claim 10. (currently amended) The method of claim 6, wherein the internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 11. (original) The method of claim 10, wherein the internal arbitration state is changed from the park state to the grant-other state if the internal status reflects the bus master arbitration request and not the bus slave arbitration request.

Claim 12. (original) The method of claim 10, wherein the internal arbitration state is changed from the park state to the grant-self state if the internal status reflects the bus slave arbitration request.

Claim 13. (original) The method of claim 10, wherein the internal arbitration state is changed from the grant-self state to the grant-other state if the internal status reflects the bus slave arbitration request and not the bus slave transfer in progress state.

Claim 14. (original) The method of claim 10, wherein the internal arbitration state is changed from the grant-other state to the grant-self state if the internal status reflects the bus slave arbitration request and not the bus master transfer in progress state.

Claim 15. (original) The method of claim 10, wherein the internal arbitration state is changed from the grant-other state to the park state if the internal status does not reflect the bus master arbitration request, the bus slave arbitration request and the bus master transfer in progress state.

Claim 16. (original) The method of claim 1, wherein the link bus comprises a link bus status line and said issuing step comprises propagating a signal on the link bus status line.

Claim 17. (original) The method of claim 1, wherein the link bus comprises a link bus status line and said issuing step comprises time multiplexing an arbitration request signal on the link bus status line.

Claim 18. (previously presented) The method of claim 1, wherein said issuing step through said transferring step are performed in accordance with a link bus protocol of the link bus.

Claim 19. (currently amended) A method of arbitrating control of a link bus comprising a plurality of link bus segments in a computer system, the computer system comprising a hub device for the plurality of link bus segments, said hub device coupled to a processor by a processor bus and coupled to a memory device by a memory bus, the hub device being connected to a satellite device by one of the link bus[[,]] segments, the link bus being a source strobed bus having a status line, said method comprising the steps of:

time-multiplexing, from one of the satellite device and the hub device, an arbitration request signal on the link bus status line;

detecting, at the other of the satellite device and the hub device, the arbitration request signal;

determining, at the satellite device and the hub device, whether control of the link bus can be transferred from a bus master to the device issuing the arbitration request; and

if it is determined that control of the link bus can be transferred, transferring control of the link bus from the bus master to the device issuing the arbitration request, wherein control of the link bus is granted by the satellite device and the hub device.

Claim 20. (original) The method of claim 19, wherein said determining step comprises:

inspecting internal arbitration state and status information contained on each of the satellite device and the hub device; and

determining if control of the link bus can be transferred based on the inspected internal arbitration state and status information.

Claim 21. (previously presented) The method of claim 20, wherein the internal arbitration state information comprises a current arbitration state selected from one of a park state indicating that there are no requests on the link bus, grant-self state indicating that a device in control of the link bus is transferring information on the link bus, and a grant-other state indicating that another device is in control of the link bus.

Claim 22. (previously presented) The method of claim 20, wherein the internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 23. (previously presented) The method of claim 19, wherein said transferring step comprises:

modifying internal arbitration state and status information on each of the satellite device and the hub device to reflect that the issuing device is a master of the link bus and that the other device connected to the link bus is a slave of the link bus.

Claim 24. (previously presented) The method of claim 23, wherein the internal arbitration state information comprises a current arbitration state selected from one of a park state, grant-self state and a grant-other state.

Claim 25. (original) The method of claim 24, wherein said modifying step comprises:
at the satellite device, changing the internal arbitration state to the grant-self state; and
at the hub device, changing the internal arbitration state to the grant-other state.

Claim 26. (original) The method of claim 24, wherein said modifying step comprises:
at the hub device, changing the internal arbitration state to the grant-self state; and
at the satellite device, changing the internal arbitration state to the grant-other state.

Claim 27. (original) The method of claim 24, wherein said modifying step comprises:
at the satellite device, changing the internal arbitration state from the park state to the grant-self state; and
at the hub device, changing the internal arbitration state from the park state to the grant-other state.

Claim 28. (currently amended) The method of claim 24, wherein the internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 29. (original) The method of claim 28, wherein the internal arbitration state is changed from the park state to the grant-other state if the internal status reflects the bus master arbitration request and not the bus slave arbitration request.

Claim 30. (original) The method of claim 28, wherein the internal arbitration state is changed from the park state to the grant-self state if the internal status reflects the bus slave arbitration request.

Claim 31. (original) The method of claim 28, wherein the internal arbitration state is changed from the grant-self state to the grant-other state if the internal status reflects the bus slave arbitration request and not the bus slave transfer in progress state.

Claim 32. (original) The method of claim 28, wherein the internal arbitration state is changed from the grant-other state to the grant-self state if the internal status reflects the bus slave arbitration request and not the bus master transfer in progress state.

Claim 33. (original) The method of claim 28, wherein the internal arbitration state is changed from the grant-other state to the park state if the internal status does not reflect the bus master arbitration request, the bus slave arbitration request and the bus master transfer in progress state.

Claim 34. (currently amended) A processor system comprising:

a processor;

a link hub for a link bus, said link bus comprising a plurality of link bus segments each coupled to said link hub, said link hub also connected to said processor via a processor bus;

a satellite device; and

one of said [[a]] link bus segments being connected between said link hub and said satellite device, wherein said satellite device and said link hub arbitrate a control of said link bus by issuing, from one of said satellite device and said link hub, an arbitration request on the link bus, determining, at the satellite device and said link hub, whether control of said link bus can be transferred from a bus master to the device issuing the arbitration request, and transferring control of said link bus from the bus master to the device issuing the arbitration request.

Claim 35. (original) The system of claim 34, wherein said satellite device and said link hub determine if control of said link bus should be transferred by inspecting respective internal arbitration state and status information, and determining if control of said link

bus can be transferred based on said inspected internal arbitration state and status information.

Claim 36. (previously presented) The system of claim 35, wherein said internal arbitration state information comprises a current arbitration state selected from one of a park state indicating that there are no requests on the link bus, grant-self state indicating that a device in control of the link bus is transferring information on the link bus, and a grant-other state indicating that another device is in control of the link bus.

Claim 37. (previously presented) The system of claim 35, wherein the internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 38. (original) The system of claim 34, wherein said link bus is a source strobed bus.

Claim 39. (original) The system of claim 38, wherein said link bus comprises a link bus status line and said arbitration request is issued by propagating a signal on said link bus status line.

Claim 40. (original) The system of claim 38, wherein said link bus comprises a link bus status line and said arbitration request is issued by time multiplexing an arbitration request signal on said link bus status line.

Claim 41. (previously presented) The system of claim 34, wherein said wherein said satellite device and said link hub transfer control of said link bus by modifying respective internal arbitration state and status information to reflect that the issuing device is a master of the link bus and that the other device connected to the link bus is a slave of the link bus.

Claim 42. (previously presented) The system of claim 41, wherein said internal arbitration state information comprises a current arbitration state selected from one of a park state indicating that there are no requests on the link bus, grant-self state indicating that a device in control of the link bus is transferring information on the link bus, and a grant-other state indicating that another device is in control of the link bus.

Claim 43. (original) The system of claim 42, wherein said satellite device modifies its internal arbitration state and status information by changing its internal arbitration state to the grant-self state, and wherein said link hub modifies its internal arbitration state and status information by changing its internal arbitration state to the grant-other state.

Claim 44. (original) The system of claim 42, wherein said satellite device modifies its internal arbitration state and status information by changing its internal arbitration state to the grant-other state, and wherein said link hub modifies its internal arbitration state and status information by changing its internal arbitration state to the grant-self state.

Claim 45. (currently amended) The system of claim 42, wherein said internal status information comprises a current status value selected from one of a bus master arbitration request, bus master transfer in progress, bus slave arbitration request, and bus slave transfer in progress.

Claim 46. (previously presented) The system of claim 45, wherein said internal arbitration state is changed from the park state to the grant-other state if said internal status reflects the bus master arbitration request and not the bus slave arbitration request.

Claim 47. (previously presented) The system of claim 45, wherein said internal arbitration state is changed from the park state to the grant-self state if said internal status reflects the bus slave arbitration request.

Claim 48. (previously presented) The system of claim 45, wherein said internal arbitration state is changed from the grant-self state to the grant-other state if said

internal status reflects the bus slave arbitration request and not the bus slave transfer in progress state.

Claim 49. (previously presented) The system of claim 45, wherein said internal arbitration state is changed from the grant-other state to the grant-self state if said internal status reflects the bus slave arbitration request and not the bus master transfer in progress state.

Claim 50. (previously presented) The system of claim 45, wherein said internal arbitration state is changed from the grant-other state to the park state if said internal status does not reflect the bus master arbitration request, the bus slave arbitration request and the bus master transfer in progress state.

Claim 51. (currently amended) A processor based system comprising:

a processor;

a link hub for a link bus comprising a plurality of link bus segments each coupled to said link hub, said link hub also connected to said processor by a first bus;

a satellite device; and

one of said [[a]] link bus segments being connected between said link hub and said satellite device, and comprising said link bus comprises a link bus status line and having a link bus protocol, wherein said satellite device multiplexes an arbitration signal on said link bus status line in accordance with said link bus protocol to become a master of said link bus during transmissions to said link hub and said link hub

multiplexes another arbitration signal on said link bus status line in accordance with said link bus protocol to become a master of said link bus during transmissions to said satellite device, wherein control of said link bus is transferred from the master to a slave device.

Claim 52. (original) The system of claim 51, wherein said link bus is a source strobed bus.

Claim 53. (original) The system of claim 51, wherein said link bus is a quad pumped source strobed bus.

Claim 54. (original) The system of claim 51, wherein said link bus is a double pumped source strobed bus.

Claim 55. (original) The system of claim 51, wherein said arbitration signals are time multiplexed on said link bus status line during a predetermined time window.

Claim 56. (original) The system of claim 52, wherein said link bus status line is used to transmit status information between said link hub and said satellite device.

Claim 57. (currently amended) A processor based system comprising:

a processor;

a ~~first device~~ link bus hub for a link bus comprising a plurality of link bus segments each connected to said link bus hub, said link bus hub also connected to said processor by a first bus;

a ~~first second~~ device; and

wherein one of said [[a]] link bus segments

is connected between said link bus hub first and said first second device[[s]],

comprises said link bus comprises a source strobed command/address/data bus, two clock strobes and a link bus status line, and

supports said link bus having a link bus protocol[[,]] wherein said link bus hub first and said second device[[s]] arbitrate control over said link bus in a decentralized manner and in accordance with said link bus protocol such that control over said link bus is transferred from a bus master to a bus slave when the slave is granted control over said bus.

Claim 58. (original) The system of claim 57, wherein said link bus status line is a tristate status line.

Claim 59. (currently amended) The system of claim 57, wherein said ~~first device is a link hub and said~~ second device is a satellite device.

Application No.: 09/730,780

Docket No.: M4065.0404/P404

Claim 60. (cancel)